

TSEC

since 1976

Gratitude Innovation

2023 COLLECTION

Zhejiang Tiansheng Electronic Co., Ltd.

PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

Add: No.176 Xianglong Street, Nanmingshan Street, Liandu District, Lishui City, Zhejiang Province, China

Tel: +86 13819962875

Email: kristina@yktianshengscale.com

www.scalesupplier.com

B2B website:

<https://zjtiansheng.en.alibaba.com>

<https://zheben.en.alibaba.com>

www.scalesupplier.com

COMPANY PROFILE

TSEC
since 1976

- Automatic Equipment
- Perfect Management System
- Multiple Production Lines
- 8 Quality Tests
- 9 Product Customization



Zhejiang Tiansheng Electronic Co., Ltd. PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

TSEC factory covers **40,000 m²** (430,556 ft²) and has hundreds of workers, equipped with brand new quality inspection machinery and production equipment. Material workshop, production workshop, finished products workshop and other areas.

TSEC factory has fully automatic assembly lines, each machine can produce more than **20,000** products per day. From accessories to finished products. Fully automated production, product production quality and quality control have reached the first-class level.



TSEC

since 1976

PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

TSEC

since 1976

- Smart /Body Scale
page 1~26
- Kitchen Scale
page 27~40
- Pocket Scale
page 41~46
- Baby Scale
page 47~50
- Luggage Scale
page 51~56

BODY SMART/BODY FAT SCALE

With the continuous progress of human society, various chronic diseases are also increasing. Health will become the basic goal of people in the new century, and the pursuit of health becomes the fashion of all people.

Our smart body fat scale can detect 19 health data of the human body and make basic analysis to make sound recommendations to promote the improvement of your health, some important ones include: testing heart rate, muscle and fat content and bone content. More interesting is the one-click link APP, you can bind the information of your family and friends to observe and understand their physical condition at any time. It can be said to be a new product of the new era, widely welcomed by the public.



Smart Body Scale



TS-BF8072

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 Color Box: 353x335x38mm
 Power: 3xAAA batteries
 Unit: KG/LB
 Dimension: 300x300x25mm*R45
 N.W: 18KG G.W: 21KG

Basic color selection



Electrode sheet selection





TS-FL561

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display or LED display
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x20mm*R35
 N.W: 15.5KG G.W: 16.5KG



TS-FL755

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LED display
 Color Box: 322x315x38mm
 Power: 3xAAA batteries
 Unit: KG/LB
 Dimension: 280x280x20mm*R35
 N.W: 15.5KG G.W: 16.5KG



TS-BF8028

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display or LED display
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R25
 N.W: 15.5KG G.W: 16.5KG



TS-BF8014

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LED display

Color Box: 353x335x38mm
 Power: 4xAAA batteries
 Unit: KG/LB/ST
 Dimension: 300x300x25mm*R35
 N.W: 19KG G.W: 21KG

TS-BF8011

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display
 Color Box: 353x335x38mm
 Power: 4xAAA batteries
 Unit: KG/LB/ST
 Dimension: 300x300x25mm*R35
 N.W: 19KG G.W: 21KG





HOT

TS-BF8066 ELECTRODE SHEET

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LED display

Color Box: 322x315x38mm
 Power: 3xAAA batteries
 Unit: KG/LB
 Dimension: 260x260x25mm*R35
 N.W: 10.5KG G.W: 12.5KG


TS-BF8066 ITO

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LED display
 Color Box: 322x315x38mm
 Power: 3xAAA batteries
 Unit: KG/LB
 Dimension: 260x260x25mm*R35
 N.W: 10.5KG G.W: 12.5KG



TS-BF8076 ITO

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LED display
 Color Box: 353x335x38mm
 Power: 4xAAA batteries
 Unit: KG/LB/ST
 Dimension: 300x300x25mm*R35
 N.W: 19KG G.W: 21KG




NEW

Test 29 body data

Bluetooth and WiFi
dual connection

Leaone APP



TS-FL762 EIGHT ELECTRODE

- Test 29 body data
- Max 8 users
- Capacity: 3-180kg / 6.6-396lbs
- Division: 0.05kg/0.1lb
- LED display
- Color Box: 385x370x38mm
- Power: 4xAAA batteries
- Unit: KG/LB
- Dimension: 320x360x20mm*R35
- N.W: 19.5KG G.W: 21.5KG



2023-03-04 18:29

65.5kg	20.2	27.1%
Body weight	BMI	Body fat percentage
68.7%	49.9%	2.8kg
Muscle rate	Moisture	Bone mass
1307.0Kcal	14.7%	24
Basal metabolic rate	Protein rate	Body age
3.0	26.0%	66.0kg
Visceral fat index	Subcutaneous fat	Standard weight
-0.5kg	15.5kg	50.0kg
Weight control	Fat mass	Lean body mass
41.1kg	9.6kg	Standard
Muscle mass	Protein amount	Obesity rating
6.1		
Limb muscle index		

All values are obtained through the impedance of the human body in combination with the composition of the basic parameters of the human body. These data are only informative for control and long-term monitoring of the condition, not as a basis for any medical conclusions.

- Measuring
- Recording
- Set up




NEW

Test 29 body data

Bluetooth and WiFi
dual connection

Leaone APP



TS-FL765

Test 29 body data
Max 8 users
Capacity: 3-180kg / 6.6-396lbs
Division: 0.05kg/0.1lb
LED display
Color Box: 385x370x38mm
Power: 4xAAA batteries
Unit: KG/LB
Dimension: 320x360x30mm*R35
N.W: 19.5KG G.W: 21.5KG



TS-BF8035

Test 29 body data
Max 8 users
Capacity: 5-180kg
Division: 0.14kg/0.2lb
LED display
Color Box: 330x337x50mm
Power: 4xAAA batteries
Unit: KG/LB
Dimension: 300x260x25mm*R35
N.W: 17KG G.W: 19KG



HOT



TS-FL549

Test 18 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.05kg/0.1lb
 LCD display
 Color Box: 285x290x33mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Temperature and battery capacity
 Dimension: 280x280x25mm*R10
 N.W: 13.5KG G.W: 14.5KG



Heart rate



Color Screen

TS-FL565 LARGE SCREEN SCALE

Test 19 body data
 Max 8 users
 Capacity: 3-180kg / 6.6-396lbs
 Division: 0.05kg/0.1lb
 LCD display size: 70x90mm
 Color Box: 322x315x38mm
 Power: 3xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R35
 N.W: 16KG G.W: 17KG



LEAONE APP



INSTALL THE LEAONE APP



- 1 Scan the QR Code or download the Lealone app from the Apple Store or Google Play.
- 2 Download and install the Lealone app on your device.
- 3 The App icon will appear on your phone or tablet after the installation is completed.




Max 8 users

INSTRUCTIONS FOR USE

- 1 Open the Lealone app on your device.
- 2 Register your account by email or login with social media account.
- 3 Add your personal data and confirm.

TEST 19 BODY DATA



LEAONE APP SUPPORTS MULTI-SMART ITEMS IN ONE

Body fat scale (Bluetooth)	Body fat scale (WiFi + Ble)	Eight-electrode body fat scale (Bluetooth)	Blood Pressure Monitor (Bluetooth)	Blood Pressure Monitor (WiFi)	Thermometer (Bluetooth)
Baby scale (Bluetooth)	Baby scale (WiFi)	Height Meter	Blood glucose meter (Bluetooth)	Oximeter (Bluetooth)	Smart rope skipping (Bluetooth)
Sports watch	Smart toothbrush (Bluetooth)	Smart toothbrush (WiFi + Ble)	Motorcycle tire pressure	Tricycle tire pressure	Four tire pressure
咖啡秤 (Bluetooth)	Smart heart rate belt	Nutrition Scale (Bluetooth)	Multiple tire	Solar tire	Hygrothermogr

TS-BHW01

Weight measurement range: 0.2-203kg Scale value: 50g
 Height range: 83-209cm Index value: 0.1cm
 Unit: kg / lb
 Switching mode: 5kg or more gravity on/key on
 Automatic shutdown / key long press to close into.
 LED display: 85.5 * 41mm white light
 Power supply: built-in 1500 mA lithium battery, type-C charging interface



TS-D631

LCD display
 Division: 0.5cm
 Capacity: 30-200cm
 Unit: cm
 Power: USB charging
 Buzzer reminder
 Single button control
 Measurement error: ±1cm



EUROPEAN DESIGNER

Giving you more choices



BMI Body Scale



TS-F1302

Test 6 body data

Max 10 users

Capacity: 3-180kg / 6.6-396lbs

Division: 0.1kg/0.2lb

LCD display

Color Box: 353x335x38mm

Power: 2xAAA batteries

Unit : KG/LB/ST

Dimension: 300x300/280x280x25mm*R3

N.W: 15.5KG G.W: 16.5KG



TS-F1305

Test 6 body data

Max 10 users

Capacity: 3-180kg / 6.6-396lbs

Division: 0.1kg/0.2lb

LCD display

Color Box: 322x315x38mm

Power: 2xAAA batteries

Unit: KG/LB/ST

Dimension: 280x280/300x300
x25mm*R25

N.W: 15.5KG G.W: 16.5KG

BMI Body Scale



TS-F1303 BMI

Test 6 body data

Max 10 users

Capacity: 3-180kg / 6.6-396lbs

Division: 0.1kg/0.2lb

LCD display

Color Box: 322x315x38mm

Power: 2xAAA batteries

Unit: KG/LB/ST

Dimension: 280x280x25mm*R3

N.W: 15.5KG G.W: 16.5KG

FOUR COLOR DISPLAYS AND CORRESPONDING BMI INTERVALS



BMI ≤ 18.5
Blue Backlight



18.5 < BMI ≤ 24.9
Green Backlight



24.9 < BMI ≤ 29.9
Orange Backlight



BMI ≥ 29.9
Red Backlight

FOR OBESE PEOPLE



TS-B556

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display
 Color Box: 350x355x60mm
 Power: 4xAAA batteries
 Unit: KG/LB
 Dimension: 300x300x25mm*R25
 N.W: 17KG G.W: 18KG

TS-B8042

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 70x33mm
 Color Box: 300x289x51mm
 Power: battery free
 Unit: KG
 Dimension: 280x280x25mm*R35
 N.W: 17KG G.W: 19KG



POWER GENERATION SCALE



PRESS TO CHARGE

Charge it at any time without fear of running out of power. Green environmental protection electronic scale.



PRESS TO GENERATE ELECTRICITY

ANTI-SLIP SCALE



TS-B8076

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 71x34mm
 Color Box: 310x305x33mm
 Power: 2xCR2032 batteries
 Unit: KG/LB/ST
 Dimension: 300x300x25mm*R3
 N.W: 17KG G.W: 18KG



TS-B8012 LCD

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280/300x300x25mm*R3
 N.W: 16KG G.W: 17KG



TS-B8045 LED

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280/300x300x25mm*R3
 N.W: 16KG G.W: 17KG





TS-B549

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.05kg/0.1lb
 LCD display size: 60x24mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R10
 N.W: 13KG G.W: 14KG

TS-B8031

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R3
 N.W: 16KG G.W: 17KG

- ✓ GERMAN ✓ ENGLISH ✓ BULGARIA
- ✓ TURKISH ✓ PERSIAN ✓ POLISH
- ✓ RUSSIAN ✓ SPANISH ✓ FRENCH

CUSTOM VOICE



TS-B8003

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.05kg/0.1lb
 LCD display size: 73x28.5mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R3
 N.W: 16KG G.W: 17KG



TS-2003A

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 64*30.5mm
 Color Box: 333x336x37mm
 Power: 2xAAA batteries/ 1xCR2032 battery
 Unit : KG/LB
 Dimension: 330x330x25mm
 N.W: 15KG G.W: 16.5KG



TS-2003B

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 64*30.5mm
 Color Box: 333x336x37mm
 Power: 2xAAA batteries/ 1xCR2032 battery
 Unit: KG/LB
 Dimension: 330x330x25mm
 N.W: 15KG G.W: 16.5KG



TS-2004

Capacity: 3-180kg
 Division: 100g
 Product Size: 300*300*20mm*R3
 Glass thickness: 6mm
 Unit: KG/LB/ST
 Product Net Weight: 1.5kg
 Power: 3V 2*CR2032
 LCD Display: 34*71mm



TS-2005D

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 64*30.5mm
 Color Box: 333x336x37mm
 Power: 2xAAA batteries/ 1xCR2032 battery
 Unit: KG/LB
 Dimension: 330x330x25mmxR3
 N.W: 15KG G.W: 16.5KG

TS-B1326

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 322x315x38mm
 Power: 2xAAA batteries
 Unit: KG/LB/ST
 Dimension: 280x280x25mm*R10
 N.W: 9KG G.W: 10KG



TS-B1325

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 570x380x38mm
 Power: 1xCR2032 battery
 Unit: KG/LB/ST
 Dimension: 300x300x25mm
 N.W: 9KG G.W: 10KG



TS-B1327

Capacity: 3-180kg / 6.6-396lbs
 Division: 0.1kg/0.2lb
 LCD display size: 73x28.5mm
 Color Box: 320x20x290cmm
 Power: 1xCR2032 batteries
 Unit: KG/LB
 Dimension: 280x310x25mm*R10
 N.W: 10KG G.W: 11KG



TSEC
since 1976

ELECTRONIC KITCHEN SCALE

Focusing on life and health, focusing on the nutrition of food is an important way, our kitchen scales can do the basic analysis of the nutrient content of food and promote you to develop good eating habits.

Our kitchen scales determine the mass by electronic sensing or by spring expansion. In comparison, electronic sensing is more accurate than spring metering.



Electronic Kitchen Scale



Waterproof:stainless steel surface
Metal color can customize with Bluetooth
Can check more nutrition of food on app

TS-EK16

Capacity: 3-5000g
Division: 1g
Unit: g/ oz/ ml/ lb:oz
Power: 3V 2*AAA batteries
Product size:180*140*16.7mm
Display:LCD with backlight
Master carton size:420*335*357mm
Package:40pcs/carton
N.W: 11.9KG G.W: 12.9KG



Electronic Kitchen Scale



BLUETOOTH CHOICE

TS-EK20

Capacity: 3-5000g
 Division: 1g
 Unit: g/ ml/ lb/oz/ fl;oz
 Power: 3V 2*AAA batteries
 Product size: 145*195*21mm
 Display: LCD,backlight with white words
 Master carton size: 445*335*345mm
 Package: 40pcs/carton
 N.W: 20KG G.W: 21KG



Electronic Kitchen Scale

TALKING FUNCTION

MULTI LANGUAGES

STAINLESS STEEL PLATFORM



TS-EK28

Capacity: 5000g
 Division: 1g
 Unit: (g/ oz/ ml/ lb'oz)
 Power: 2*AAA battery
 product size: 161*213*35mm
 Master carton size: 440*185*460mm
 Package: 20pcs/carton
 N.W: 10.5KG G.W: 11KG



Electronic Kitchen Scale

TS-K542A

Capacity: 10kg
 Division: 1g
 Unit: g/ lb/ oz
 Power: 1.5v×2AAA Batteries
 product size: 225*165*20mm
 Master carton size: 500*380*380mm
 Package: 40pcs/carton
 N.W: 22KG G.W: 23.5KG




Touch screen

Electronic Kitchen Scale

TS-K567

Product size: 150*200*29mm
 Unit: g/oz/lb/ml
 Capacity: 1kg-6kg*0.1g
 Matrial: ABS plastic, High precision sensors system
 Power: 1.5V*2 AAA Batteries



TS-K568

TS-K8040

Capacity: 15kg
 Division: 1g
 Unit: g/ oz/ ml/ lb/ kg
 Power: 1.5v×2AAA Batteries
 product size: 200*200*21mm
 Master carton size: 350*245*470mm
 Package: 20pcs/carton
 N.W: 12KG G.W: 14KG



TS-K542B

Capacity: 5000g
 Division: 1g
 Product Size: 225*165*20mm
 Unit: g/lb/oz
 Power: 2*AAA batteries
 Master carton size: 490*330*360mm
 Package: 40pcs/carton
 N.W: 15.7KG G.W: 16.7KG

Stainless steel surface

Backlight

High precision strain gauge sensors system



Electronic Kitchen Scale

TS-EK42

Capacity: 5-5000g
 LCD size: 18*47mm
 Division: 1g
 Product Size: 19*2cm
 Unit: G/LB/OZ
 Product Net Weight: 0.4kg
 Power: 3V (CR2032)
 Boot up weight: The key switch on

NEW



TS-K559S

LCD size: 19*44mm
 Size: 200*150*16mm
 Glass thickness 3mm
 Measuring range 5kg
 Division: 1g
 Unit: g/kg/lb: oz/ml/fl: oz
 Power: 1*CR2032 3V
 Product features: touch

NEW

STAINLESS STEEL



TS-EK39

Capacity: 10KG/1G,7KG/1G,5KG/0.5G,3K/0.1G
 Unit: g/oz
 Function: Tare/calibrate, 120 seconds auto shut-off
 Display: LCD, black letters on white background 4.8*2cm
 Power supply: 2*AAA dry batteries
 Color box size: 15*4*22cm
 Product size: 20*15*3.5cm



TS-EK36

Unit: g/ oz/ lb/ fl
 Function: tare/calibrate machine
 Auto-off: 120 seconds
 Display: LCD, white backlight
 Power supply: 2XAAA batteries
 Product size: 210*175MM
 Product weight: 486g
 Capacity: 5kg/1g 10KG/1gPacking
 Outer box size: 54*49*41CM
 N.W: 19.5kg G.W: 21kg



TS-K559

Capacity: 5kg
 Division: 1g
 Unit: g/kg/lb/oz/ml/fl.oz
 LCD without backlight
 Power: 1*CR2032 3V
 Size: 200*150*16mm
 Master carton size: 400*350*300mm
 Package: 40pcs/carton
 N.W: 20KG G.W: 21KG

TOUCH BUTTON



TS-EK24

Capacity: 5000g
 Division: 1g
 Unit: g/ Lb:oz/kg
 Power: 2*AAA batteries
 Product size: 230*160*20mm
 Master carton size: 490*320*350mm
 Package: 40pcs/carton
 N.W: 15KG G.W: 16KG



TS-EK25

Capacity: 5000g
 Division: 1g
 Unit: g/ Lb:oz/ ml/ fl.oz
 Power: 2*AAA batteries
 Product Size: 200*200*20mm
 Master carton size: 430*290*435mm
 Package: 40pcs/carton
 N.W: 11KG G.W: 12KG



TS-EK340

Capacity: 5g-5000g
 Division: 1g
 Material: Bamboo+ABS
 Unit: g/lb: oz/lb/ml
 LCD display: 42*19mm
 Product size: 200*165*21mm
 Bamboo size: 200*130*5mm
 Master carton size: 475*370*235mm
 Package: 30pcs/carton
 N.W: 6.2KG G.W: 9.2KG



Electronic Kitchen Scale



TS-EK01

Capacity: 5000g/11lb
 Graduation: d=1g
 Unit: g/ lb/ oz
 Power: 2x AAA batteries
 Product size: 215X162X57mm
 Master carton size: 620*419*410mm
 Package: 24pcs/carton
 N.W: 11KG G.W: 12KG

Electronic Kitchen Scale



TS-EK03

Capacity: 10KG
 Division: d=1g
 Unit: g/ oz
 ABS Plastic platform: 230*160*39mm pan: 148mm
 Power: 2x AA batteries
 Master carton size: 500*460*375mm
 Package: 40pcs/carton
 N.W: 11KG G.W: 12KG



TS-EK33

Capacity: 3/5/7kg
 Division: 1g/0.1g(3kg)
 Unit: g/ oz/ lb/ tl
 Product size: 135*95mm
 Power: 2xAAA batteries
 Master carton size: 580*440*350mm
 Package: 40pcs/carton
 N.W: 14.5KG G.W: 16.5KG



TS-K550

Display size: 16.5*40mm
 Capacity: 5kg/11lb
 Division: 1g
 Unit: g/ lb/ oz
 Product platform: 185*165*35mm
 Power: 2*AAA batteries/USB
 Master carton size: 520*410*200mm
 Package: 24pcs
 N.W: 20KG G.W: 21KG



Electronic Kitchen Scale

TS-EK30



Capacity: 3000g/5000g
 Division: 0.1g
 Unit: g/ oz/ ml/ lb:oz
 Product size: 195*125*25mm
 Power: 2x AAA batteries
 Master carton size: 540*315*248mm
 Package: 20pcs
 N.W.: 9kg G.W.: 10kg



TS-EK32

Capacity: 3000g
 Division: 0.1g
 Unit: g/ oz/ ml
 Power: 3*AAA batteries
 Color box size: 230*152*52mm
 Carton size: 442*420*338mm
 Qty/ctn: 20pcs
 N.W.: 9kg G.W.: 10kg



TS-EK12

Capacity: 500g
 Division: 0.1g
 Unit: g/ oz/ ct/ gn
 Power: 1*CR2032 battery
 Product size: 230*50*23mm
 Package: 100pcs
 Master carton size: 52*30*44.5cm
 N.W: 8.2kg G.W: 9.2kg



TS-EK14

Capacity: 800g/800ml/3.4 cups/28oz
 Division: 1g
 Unit conversion: g/ ml/ oz/ fl'oz
 Battery: 1*CR2032 battery
 Product size: 241*92*54mm
 Package: 60pcs
 Master carton size: 65.5*30.5*46.5cm
 N.W: 10.8kg G.W: 11.5kg



Shopping check



TS-EK34

Capacity: 5000g
 Division: 1g
 Unit: g/ kg/ lb/ oz/ ml
 Battery: 2*AAA batteries
 Product size: 215*145mm
 Package: 12pcs
 Master carton size: 650x230x440mm
 N.W: 7.9kg G.W: 9.5kg

TS-K563

Capacity: 5000g
 Division: 1g
 Unit: g/oz
 Product Size: 150*150*20mm
 Power: 3V 2*AAA batteries
 Material: ABS plastic



TSEC
since 1976

JEWELRY SCALE / POCKET SCALE

The jewelry scales have a new generation of high precision sensors that measure accurately to 0.01g. They are able to meet the needs of small items and are compact enough to fit in your pocket when not in use. It is very convenient to use.



Jewelry Scale



TS-C02

Capacity/division: 200g/0.01g 500g/ 0.1g
Unit: g/ oz/ ozt/ dwt/ gn/ ct
Scale body size: 128*77*19.2mm
Stainless Steel Pan: 75*65 mm
Power: 2 XAAA batteries
Package: 100pcs/carton
Master Carton Size: 420*190*660 mm
N.W: 15KG G.W: 14KG



HIGHER ACCURACY



TS-C06

Capacity/division: 200g/0.01g 500g / 0.01g
 Unit: g/oz/gn/ct/ozt
 Power: 2xAAA Batteries
 With Back Light
 Packing: 100 pcs/CTN
 Master carton size: 365*250*310mm
 G.W:12.2kg N.W:10.5kg



TS-B04

Jewelry Scale and Kitchen Scale

2 IN 1

Capacity/division: 200g/0.01g 500g/0.01g 2000g/0.1g 3000g/0.1g
 Unit: g/ oz/ ozt/ dwt/ gn/ ct
 Scale body size: 127*106*19 mm
 Large brushed stainless steel pan: 100*100mm
 Large screen display: 42*14mm
 Power: 2 XAAA batteries
 Packing: 50 pcs/CTN
 Master carton size: 735*365*195mm
 G.W: 15.5 kg N.W: 14 kg





TS-C03

Capacity/division: 100g/0.01g 200g/0.01g 500g/0.1g
 Weight: 104g
 Scale body size: 116*64*19mm
 Stainless Tray Size: 54*62mm
 Units: ct/ dwt/ ozt/ g/ oz/ gn
 Display: LCD with backlight
 Power: 2 XAAA batteries
 Packing: 100PCS
 Carton size: 370*310*270mm
 G.W: 14kg N.W: 13kg



TS-C04

Tare function
 Auto calibration
 Capacity/division: 200g/0.01g 500g/0.1g
 Size For Pan: 40X31mm
 Unit: g/gn/dwt/oz/ozt/tl/ct
 Power: 1XCR2032 Lithium Battery
 Dimension: 70X36X20mm

MINI SCALE

TSEC

since 1976

Gratitude Innovation

Zhejiang Tiansheng Electronic Co., Ltd.

PROFESSIONAL ELECTRONIC SCALE MANUFACTURER



BABY SCALE

Personalized design, the baby can lie flat can sit and stand up to weigh. Suitable for different age groups of baby measurement.

Removable tray for baby and adult to achieve multi-function.

Abs environment-friendly plastic+tempered glass.

Bluetooth function, Baby weight data can be retained permanently.



TS-YE8006

Capacity:500g-100kg
LCD size:100*39mm
Division: 10g
Product Size: 520*380*75mm
Glass size: 320*275*6mm
Unit: KG/LB/ST
Product Net Weight: 2kg
Power: 6V 4*AAA batteries
Display: blue background,white word
Low battery (LO) and overload indication (Err)
Boot up weight: 5kg





TS-Y526

Capacity: 500g-100kg
 LCD size: 73*30mm
 Division: 10g
 Product Size: 530*270*50mm
 Glass size: 300*300*5mm
 Unit: KG/LB
 Product Net Weight: 2kg
 Power: 3V 2*CR2032
 Display: LCD without backlight
 Low battery (LO) and overload indication (Err)
 Boot up weight: 5kg



TS-YE8010

Range and accuracy: 100KG-10G
 Use 2xAA batteries
 Single color box size: 36.8*12*31.5cm
 Single weight: 2070g



TS-YE8005

Material: Plastic
 Display: LCD without backlight
 Display size: 58*24mm
 Capacity: 20kg d=10g
 Unit: kg/lb/st
 Power supply: 2*1.5vAAA batteries
 Product size: 54*32*3.8cm
 Product net weight: 0.856kg
 Color box size: 56*4.5*33.8cm
 Carton size: 56.5*26*35.5cm
 G.W: 9.2kg N.W: 8.5kg
 Packing quantity: 5pcs/carton



TS-YE8011

Capacity: 20kg-10g
 Dimension: 55x33x4cm
 Use 4xAA Batteries (Not Included)
 Very thin design
 Packing Volume: 57.1x25.3x35.4cm
 N.W: 8.15kg G.W: 10.8kg
 2650pcs In One 20 Feet Container



TSEC
since 1976

LUGGAGE SCALE

For friends who travel frequently, portable scales are a must. No matter what class you carry, if your luggage exceeds the weight of the corresponding class, it means you need to pay for it separately.



Luggage Scale

NEW



STAINLESS STEEL SURFACE



TS-S013

Range indexing value: 50KG/ 10G
Unit: kg/ lb/ oz
Accuracy: 10g
Power: 1* CR2032 (3V)
Product size: 152*31*55(mm)
Color box size: 176*44*90(mm)



TS-S019

Capacity: 50kg/10g
 Unit: kg/ lb/ oz
 Precision: 10g
 Power: 2*AAA(1.5V)
 Product Size: 123*82*28 (mm)
 Box Size: 145*145*39 (mm)



TS-S011

Capacity: 50kg/10g ,40kg/10g 20kg/5g
 Unit: kg/ lb/ oz
 Precision: 10g/5g
 Power: 2*AAA(1.5V)
 Product Size: 103*58*24(mm)
 Gift Box Size: 170*100*30(mm)



TS-S010

Capacity: 40kg/10g
 Unit: kg, lb
 Precision: 10g
 Power: 1*CR2032 (3V)
 Product Size: 110*40*23(mm)
 Gift Box Size: 103*48*38(mm)



TS-S043

Capacity: 50kg/10g
 Unit: g/ kg/ lb/ oz
 division: 10g
 Power: 1*CR2032(3v)
 Product size: 130*48*31(mm)
 Carton size: 560*340*420(mm)



TS-H1301

Capacity: 10g-50kg
 Division: 10g/100g
 Product Size: T Shape
 Unit: kg/ lb
 Product Net Weight: 0.65kg
 Power: 3V (CR2032)



TS-H1308

Capacity: 50kg/10g
 Unit: kg/ lb/ oz/ °C
 Precision: 10g
 Power: 1* CR2032 (3V)
 Product Size: 130*30*28(mm)
 Gift Box Size: 155*105*40(mm)





TS-S058

Capacity: 40kg/10g 20kg/5g
 Unit:g/ kg/ lb/ oz
 Precision: 10g/5g
 Power: 2*AAA(1.5V)
 Product Size: 140*30*30(mm)
 Box Size: 170*100*30(mm)



TS-H1305

Capacity: 40kg/10g 20kg/5g
 Unit: g/ kg/ lb/ oz
 Precision: 10g/ 5g
 Power: 2*AAA(1.5V)
 Product Size: 140*30*30(mm)
 Gift Box Size: 170*100*30(mm)



TS-S047

Weighing unit: kg/ lb/ oz
 Display: LCD display
 Power supply: 2 x AAA batteries
 Product size: 100*57*23(mm)
 N.W: 135g G.W: 175g



TS-H1311

Unit: kg/ lb/ oz
 Display: LCD display
 Power: 2*AAA bateries
 Product size: 115*70*25mm
 N.W: 75g G.W: 111g
 Color box size: 147*100*303(mm)



TS-H1307

Capacity: 40kg/10g 20kg/5g
 Unit: kg/ lb/ oz
 Precision: 10g/5g
 Power: 2*AAA(1.5V)
 Product Size: 115*71*24(mm)
 Gift Box Size: 170*100*30(mm)



TSEC

since 1976

PROFESSIONAL ELECTRONIC SCALE MANUFACTURER



TSEC

2023 COLLECTION

Zhejiang Tiansheng Electronic Co., Ltd.
PROFESSIONAL ELECTRONIC SCALE MANUFACTURER

Add: No.176 Xianglong Street, Nanmingshan Street, Liandu District, Lishui City, Zhejiang Province, China

Tel: +86 13819962875

Email: kristina@yktianshengscale.com
www.scalesupplier.com

B2B website:

<https://zjtiansheng.en.alibaba.com>
<https://zheben.en.alibaba.com>